INDEX TO VOLUME 107

COMPILED BY K. ELIZABETH K. PACALA

This index is primarily one to new information. Previously published information referred to in this volume has not been indexed unless extensive comparisons or reinterpretations are involved. For some species, especially ones not in the AOU check-list, only scientific names have been entered, and in some instances, entries under scientific names are more extensive than those under vernacular names. New generic, specific, and subspecific names are printed in boldface type.

Accentor, Alpine, 284–294
Accipiter cooperii, 96–106
A. gentilis, 96–106
A. striatus, 96–106
Aethia cristatella, 342–349
A. pusilla, 342–349, 679, 685
Age, determination of, 689–690
Agelaius phoeniceus, 69–73, 544–548
Aguilera, Eduardo, Sexual differences in nest attendance and chick-feeding rhythms of White Spoonbills, 416–420
Aimophila aestivalis, 463–471
Ainley, David G., review by, 226–227; see Emslie, S. D., et al.
Ainley, Marianne Gosztonyi, In memoriam: Margaret Howell Mitchell, 601–602
Aix sponsa, 756–762
Alabama, 18–23
Alaska, 342–349, 387–395, 620–622, 750–754
Albatross, Laysan, 119–123
Alberta, 161–170
Alcorn, J. R., The birds of Nevada (rev.), 218–220
Alisauskas, Ray T., and C. Davison Ankney, Commentary: Body size and fecundity in Lesser Snow Geese, 440–443
Amadon, D., review by, 639–640
Amat, Juan A., Age-related pair bonding by male Eurasian Wigeons in relation to courtship activity, 197–198
American Ornithologists' Union, Elliott Coues Award, 238; William Brewster Memorial Award, 236–237; Proceedings of the One Hundred and Seventh Stated Meeting, 1AA–29AA
Amundsen, Trond, and Jogeir N. Stokland, Egg size and parental quality influence nestling growth in the Shag, 410–413
Anas americana, 188–190
A. bahamensis, 188–190
A. crecca, 3, 188–190
A. flavirostris, 188–190
A. penelope, 197–198
A. platyrhynchos, 188–190, 255–259
A. strepera, 188–190
Anatini, 188–190
Anatomy and morphology of *Compsohalieus fuscescens*, **110–116;** *C. penicillatus*, **110–116;** *Drymophila devillei*, **477–478;** *Dysithamnus mentalis*, **477–478;** *Formicivora rufa*, **477–478;** *Grallaria quitensis*, **477–478;** *Herpsilochmus rufimarginatus*, **477–478;** *Hylophylax poecilonota*, **477–478;** *Hypocnemis cantator*, **477–478;** *Hypoleucus auritus*, **110–116;** *H. olivaceus*, **110–116;** *H. sulcirostris*, **110–116;** *H. varius*, **110–116;** *Junco hyemalis*, **490–497, 669–676;** *Leucocarbo capensis*, **110–116;** *L. nigrogularis*, **110–116;** *Lonchura striata*, **193–196;** *Microcarbo africanus*, **110–116;** *M. melanoleucos*, **110–116;** *Microrhopias quixensis*, **477–478;** *Myrmotherula* **spp., 477–478;** *Notocarbo atriceps*, **110–116;** *N. bransfieldensis*, **110–116;** *N. georgianus*, **110–116;** *N. verrucosus*, **110–116;** *Oporornis philadelphia*, **164, 166;** *Oporornis tolmiei*, **164, 166;** *Pachyptila belcheri*, **306, 308;** *P. desolata*, **306–308;** *P. salvini*, **306, 308;** *P. turtur*, **306, 308;** **Phalacrocoracidae, 110–116;** *Phalacrocorax carbo*, **110–116;** *Podiceps nigricollis*, **649–658;** *Poephila guttata*, **193–196;** *Prunella collaris*, **284–294;** *Pygiptila stellaris*, **477–478;** *Somateria mollissima*, **661;** *Stictocarbo gaimardi*, **110–116;** *S. magellanicus*, **110–116;** *S. pelagicus*, **110–116;** *Terenura humeralis*, **477–478;** *Thamnophilus doliatus*, **477–478;** *Zonotrichia querula*, **669–676**
Ankney, C. Davison, see Alisauskas, Ray T., and ———; see Gregoire, Paul E., and ———
Antas, P., see Myers, J. P., et al.
Aphelocoma coerulescens, 202–203
Aquila chrysaetos, 96–106, 438–439
Arenaria interpres, 696, 700, 704
Arizona, 299–303, 367–374, 522–530, 531, 532, 606–607
Armstrong, Robert H., Guide to the birds of Alaska (rev.), 819
Arnold, Keith A., review by, 454
Auklet, Cassin's, 1, 2, 3, 4–5, 6, 7, 689–694; Crested, 342–349; Least, 342–349, 679, 685; Rhinoceros, 1, 2, 3–4, 6
Austin, David H., see Williams, Lovett E., Jr., and ———
Australia, 334–340
Avery, Michael L., and Curtis O. Nelms, Food avoidance by Red-winged Blackbirds conditioned with a pyrazine odor, 544–549
Aythya valisineria, 75–84

Bakken, George S., Estimating the effect of wind on avian metabolic rate with standard operative temperature, 587–594

INDEX TO VOLUME 107

COMPILED BY K. ELIZABETH K. PACALA

This index is primarily one to new information. Previously published information referred to in this volume has not been indexed unless extensive comparisons or reinterpretations are involved. For some species, especially ones not in the AOU check-list, only scientific names have been entered, and in some instances, entries under scientific names are more extensive than those under vernacular names. New generic, specific, and subspecific names are printed in boldface type.

Accentor, Alpine, 284–294
Accipiter cooperii, 96–106
A. gentilis, 96–106
A. striatus, 96–106
Aethia cristatella, 342–349
A. pusilla, 342–349, 679, 685
Age, determination of, 689–690
Agelaius phoeniceus, 69–73, 544–548
Aguilera, Eduardo, Sexual differences in nest attendance and chick-feeding rhythms of White Spoonbills, 416–420
Aimophila aestivalis, 463–471
Ainley, David G., review by, 226–227; see Emslie, S. D., et al.
Ainley, Marianne Gosztonyi, In memoriam: Margaret Howell Mitchell, 601–602
Aix sponsa, 756–762
Alabama, 18–23
Alaska, 342–349, 387–395, 620–622, 750–754
Albatross, Laysan, 119–123
Alberta, 161–170
Alcorn, J. R., The birds of Nevada (rev.), 218–220
Alisauskas, Ray T., and C. Davison Ankney, Commentary: Body size and fecundity in Lesser Snow Geese, 440–443
Amadon, D., review by, 639–640
Amat, Juan A., Age-related pair bonding by male Eurasian Wigeons in relation to courtship activity, 197–198
American Ornithologists' Union, Elliott Coues Award, 238; William Brewster Memorial Award, 236–237; Proceedings of the One Hundred and Seventh Stated Meeting, 1AA–29AA
Amundsen, Trond, and Jogeir N. Stokland, Egg size and parental quality influence nestling growth in the Shag, 410–413
Anas americana, 188–190
A. bahamensis, 188–190
A. crecca, 3, 188–190
A. flavirostris, 188–190
A. penelope, 197–198
A. platyrhynchos, 188–190, 255–259
A. strepera, 188–190
Anatini, 188–190
Anatomy and morphology of *Compsohalieus fuscescens*, **110–116;** *C. penicillatus*, **110–116;** *Drymophila devillei*, **477–478;** *Dysithamnus mentalis*, **477–478;** *Formicivora rufa*, **477–478;** *Grallaria quitensis*, **477–478;** *Herpsilochmus rufimarginatus*, **477–478;** *Hylophylax poecilonota*, **477–478;** *Hypocnemis cantator*, **477–478;** *Hypoleucus auritus*, **110–116;** *H. olivaceus*, **110–116;** *H. sulcirostris*, **110–116;** *H. varius*, **110–116;** *Junco hyemalis*, **490–497, 669–676;** *Leucocarbo capensis*, **110–116;** *L. nigrogularis*, **110–116;** *Lonchura striata*, **193–196;** *Microcarbo africanus*, **110–116;** *M. melanoleucos*, **110–116;** *Microrhopias quixensis*, **477–478;** *Myrmotherula* **spp., 477–478;** *Notocarbo atriceps*, **110–116;** *N. bransfieldensis*, **110–116;** *N. georgianus*, **110–116;** *N. verrucosus*, **110–116;** *Oporornis philadelphia*, **164, 166;** *Oporornis tolmiei*, **164, 166;** *Pachyptila belcheri*, **306, 308;** *P. desolata*, **306–308;** *P. salvini*, **306, 308;** *P. turtur*, **306, 308;** **Phalacrocoracidae, 110–116;** *Phalacrocorax carbo*, **110–116;** *Podiceps nigricollis*, **649–658;** *Poephila guttata*, **193–196;** *Prunella collaris*, **284–294;** *Pygiptila stellaris*, **477–478;** *Somateria mollissima*, **661;** *Stictocarbo gaimardi*, **110–116;** *S. magellanicus*, **110–116;** *S. pelagicus*, **110–116;** *Terenura humeralis*, **477–478;** *Thamnophilus doliatus*, **477–478;** *Zonotrichia querula*, **669–676**
Ankney, C. Davison, see Alisauskas, Ray T., and ———; see Gregoire, Paul E., and ———
Antas, P., see Myers, J. P., et al.
Aphelocoma coerulescens, 202–203
Aquila chrysaetos, 96–106, 438–439
Arenaria interpres, 696, 700, 704
Arizona, 299–303, 367–374, 522–530, 531, 532, 606–607
Armstrong, Robert H., Guide to the birds of Alaska (rev.), 819
Arnold, Keith A., review by, 454
Auklet, Cassin's, 1, 2, 3, 4–5, 6, 7, 689–694; Crested, 342–349; Least, 342–349, 679, 685; Rhinoceros, 1, 2, 3–4, 6
Austin, David H., see Williams, Lovett E., Jr., and ———
Australia, 334–340
Avery, Michael L., and Curtis O. Nelms, Food avoidance by Red-winged Blackbirds conditioned with a pyrazine odor, 544–549
Aythya valisineria, 75–84

Bakken, George S., Estimating the effect of wind on avian metabolic rate with standard operative temperature, 587–594

Baldassarre, Guy A., see Losito, Michael P., et al.
Banks, Richard C., Taxonomic status of the Coquette Hummingbird of Guerrero, Mexico, 191–192
Barlow, Jon C., review by, 232
Barnes, Michael E., see Robel, Robert J., et al.
Barrowclough, George F., and R. J. Gutiérrez, Genetic variation and differentiation in the Spotted Owl (*Strix occidentalis*), 737–744.
Barzen, Jeb A., and Jerome R. Serie, Nutrient reserve dynamics of breeding Canvasbacks, 75–85
Bednarz, James C., Daniel Klem Jr., Laurie J. Goodrich, and Stanley E. Senner, Migration counts of raptors at Hawk Mountain, Pennsylvania, as indicators of population trends, 1934–1986, 96–109; review by, 801–802
Beehler, Bruce M., see Lein, M. Ross, and ———
Behavior, activity patterns, 18–23, 319–336, 337, 416–420, 655; age-related, 197–198, 554–555, 557; agonistic, 18–23, 188–190, 354, 355, 502, 510, 550–559, 606–607; antipredator, 258, 506, 513, 518, 530, 584, 666, 696, 704; breeding, 35–43, 119–123, 126–131, 153–158, 205–206, 206–208, 275–282, 284–294, 296–303, 317–325, 334–340, 376–382, 407–409, 416–420, 580–585, 603–605, 626–627, 750–754, 772–774; copulatory, 284–294, 334–340, 419–420; courtship, 122, 188–190, 197–198; dispersal, 129–130, 131; effect of environment on, 146–149, 327–332, 550–559; extrapair, 275–282, 334–340, 419–420, 584–585; feeding, 1–8, 18–23, 133–143, 146–149, 151–152, 153–158, 210–211, 211–212, 244–245, 260–272, 327–332, 354–357, 376–382, 400–402, 416–420, 434–437, 500–505, 506–513, 516–518, 519, 522–530, 544–548, 550–559, 678–687; feeding aggregation, 678–687; foraging (see Behavior, feeding); forced copulation, 275–282; dominance, 550–559; homosexual, 189–190; incubation, 10–16, 264, 320, 324, 418–419, 773; individual distance, 129, 130; interspecific, 522–530, 606–607; learning, 202–203, 544–548; maintenance, 18–23; mating preference, 35–43, 157–158, 197–198, 248–250, 251–252, 296–303; nest helper, 626–627; nesting, 39–40, 43, 154–155, 156, 337, 376–382, 407–409, 507, 515–516, 517, 519, 606–607; nest-site tenacity, 126–131, 281, 319, 321, 339, 408, 506, 519; pair, 202, 319, 321, 334–340; parental care, 40–41, 43, 205–206, 206–208, 260–272, 279, 281, 345, 349, 416–420, 580–585, 626–627, 766–767, 772–774; roosting, 18–23, 567–578; sexual differences in, 133–143, 260–272, 416–420, 580–585, 603–605; site fidelity, 126–131, 319, 321, 339, 603–605, 745–748; social, 119–123, 502, 506–519, 530, 550–559, 606–607; territorial, 627, 781–784; thermoregulatory, 10–16; vocal, 13, 14, 37–39, 42, 202–203, 243, 278, 510, 623–625
Behavior of *Agelaius phoeniceus*, 522–530; *Anas americana*, 188–190; *A. bahamensis*, 188–190; *A. crecca*, 188–190; *A. flavirostris*, 188–190; *A. platyrhynchos*, 188–190; *A. penelope*, 197–198; *A. strepera*, 188–190; *Aphelocoma coerulescens*, 202–203; *Bubulcus ibis*, 334–357; *Bucephala albeola*, 126–131; *Carpodacus erythrinus*, 35–43; *Chen caerulescens*, 550–559; **Cercomacra manu**, 244–245; *Cleptornis marchei*, 500–505; *Diomedea immutabilis*, 119–123; *Fulmarus glacialia*, 683, 686, 750–754; *Gymnorhinus cyanocephalus*, 296, 299–302; *Larus heermanni*, 772–774; *Loxia curvirostra*, 376–382; *L. leucoptera*, 376–382; *Myzomela rubrata*, 502; *Opisthocomus hoazin*, 626–627; *Otus asio*, 567–578; *Pandion haliaetus*, 506–513; 516–519; *Parus gambeli*, 522–530; *P. inornatus*, 522–530; *Phalaropus fulicaria*, 682–683, 686; *Phylloscopus borealis*, 434–437; *Platalea leucorodia*, 416–420; *Podiceps nigricollis*, 655; *Progne subis*, 275–282; *Protonotaria citrea*, 133–143, 146–149, 151–152; *Prunella collaris*, 284–294; *Pterodroma phaeopygia*, 317–325; *Pyrenestes ostrinus*, 153–158; *Rhipidura rufifrons*, 502; *Rissa tridactyla*, 681–682, 686; *Rostrhamus sociabilis*, 327–332; *Rynchops niger*, 260–272; *Scolopax minor*, 407–409; *Sialia mexicana*, 606–607; *Spizella arborea*, 210–211, 211–212; *S. pusilla*, 580–585; *Sterna caspia*, 260–272; *S. dougallii*, 354–357; *S. hirundo*, 354–357; *Tachycineta thallisina*, 606–607; *Troglodytes aedon*, 781–784; *Tyto alba*, 248–250, 251–252; *Uria aalge*, 603–605; *U. lomvia*, 683–684, 686; *Vanellus coronatus*, 10–16; *V. lugubris*, 10–16; *V. melanopterus*, 10–16; *Xanthocephalus xanthocephalus*, 205–206, 206–208; *Zenaida macroura*, 18–23; *Zosterops conspicillatus*, 500–505
Beissinger, Steven R., Alternative foods of a diet specialist, the Snail Kite, 327–333
Beletsky, Les D., Gordon H. Orians, and John C. Wingfield, Steroid hormones in relation to territoriality, breeding density, and parental behavior in male Yellow-headed Blackbirds, 60–68
Belgium, 86–93
Below, T., see Myers, J. P., et al.
Belthoff, James R., and Gary Ritchison, Roosting behavior of postfledgling Eastern Screech-Owls, 567–579
Benkman, Craig W., Intake rates and the timing of crossbill reproduction, 376–386
Bering Sea, 678–687
Birkhead, T. R., and F. M. Hunter, Numbers of sperm-storage tubules in the Zebra Finch (*Poephila guttata*) and Bengalese Finch (*Lonchura striata*), 193–197
Björklund, Mats, Mate choice is not important for female reproductive success in the Common Rosefinch (*Carpodacus erythrinus*), 35–44
Blackbird, Red-winged, 69–73, 544–548; Yellow-headed, 60–67, 205–206, 206–208
Bluebird, Western 606–607
Bock, Walter J., A special review: Peters' "Check-list of birds of the world" and a history of avian checklists, 629–639
Boersma, P. D., see Paine, R. T., et al.
Bohlen, H. David, The birds of Illinois (rev.), 461–462
Boles, Walter E., see Longmore, N. W., and ———
Bolivia, 473–483
Bollinger, Eric K., see Bollinger, Patricia Blair, et al.

Bollinger, Patricia Blair, Eric K. Bollinger, and Richard A. Malecki, Tests of three hypotheses of hatching asynchrony in the Common Tern, 696–706
Brachyramphus marmoratus, 3, 387–395
Brant, 620–622
Branta bernicla, 620–622
Braun, Michael, see Morton, Eugene S., et al.
Brawn, Jeffrey D., Interspecific competition and social behavior in Violet-green Sparrows, 606–608
Breeding of *Aethia cristatella*, 342–349; *A. pusilla*, 342–349; *Aix sponsa*, 756–762; *Aythya valisineria*, 75–84; *Bubulcus ibis*, 334–340; *Bucephala albeola*, 126–131; *Calidris pusilla*, 718–727; *Carpodacus erythrinus*, 35–43; **Cercomacra manu**, 242–243; *Chen caerulescens*, 440–443, 444–446; *Falco columbarius*, 29–30, 32; *Fulmarus glacialis*, 750–754; *Gymnorhinus cyanocephalus*, 296, 299–302; *Larus heermanni*, 772–774; *Loxia curvirostra*, 376–382; *L. leucoptera*, 376–382; *Mimus polyglottus*, 414–415; *Pachyptila belcheri*, 309, 310; *P. desolata*, 309, 310; *P. salvini*, 309, 310; *P. turtur*, 309, 310; *Pandion haliaetus*, 513–515, 516, 518–519; *Passer domesticus*, 45–57; *P. montanus*, 45–57; *Phalaropus lobatus*, 718–727; *Phoeniculus purpureus*, 765–770; *Platalea leucorodia*, 416–420; *Progne subis*, 275–282; *Prunella collaris*, 284–294; *Pterodroma phaeopygia*, 317–325; *Ptychoramphus aleuticus*, 691–692, 693–694; *Pyrenestes ostrinus*, 153–158; *Rynchops niger*, 260–272; *Scolopax minor*, 407–409, 748; *Somateria mollissima*, 660–667; *Spizella pusilla*, 580–585; *Sterna caspia*, 260–272; *S. hirundo*, 696–704; *Sturnus vulgaris*, 359–365; *Troglodytes aedon*, 782–783; *Uria aalge*, 5, 603–605; *Xanthocephalus xanthocephalus*, 60–67, 205–206, 206–208
Breeding season of *Aethia cristatella*, 343–344, 346–347; *A. pusilla*, 343–344, 346–347; *Fulmarus glacialis*, 752, 754; *Loxia curvirostra*, 376–382; *L. leucoptera*, 376–382; *Mimus polyglottos*, 415; *Pandion haliaetus*, 513–515; *Passer domesticus*, 47; *P. montanus*, 47; *Pterodroma phaeopygia*, 319, 323–324; *Ptychoramphus aleuticus*, 693; *Pyrenestes ostrinus*, 155, 156, 158; *Scolopax minor*, 408–409, 748; *Sterna hirundo*, 698; *Sturnus vulgaris*, 360; *Uria aalge*, 603–605; *Xanthocephalus xanthocephalus*, 62
Breeding success, 1, 5, 29–30, 32, 39–40, 60, 65, 67, 128, 129, 130, 155, 157, 205–206, 206–208; 300–301, 342, 344–346, 347–348, 360, 361–364, 408, 409, 513–515, 516, 518, 519, 595–600, 692, 699, 700, 701, 750–754, 759, 772–774
Breeding success of *Aethia cristatella*, 342, 344–346, 347–348; *A. pusilla*, 342, 344–346, 347–348; *Aix sponsa*, 759; *Bucephala albeola*, 128, 129, 130; *Carpodacus erythrinus*, 39–40; *Falco columbarius*, 29–30, 32; *Fulmarus glacialis*, 750–754; *Gymnorhinus cyanocephalus*, 300–301; *Haematopus bachmani*, 1, 5; *Larus heermanni*, 772–774; *Pandion haliaetus*, 513–515, 516, 518, 519; *Ptychoramphus aleuticus*, 692; *Pyrenestes ostrinus*, 155, 157; *Scolopax minor*, 408, 409; *Sterna hirundo*, 699, 600, 601; *Sturnus vulgaris*, 360, 361–364; *Xanthocephalus xanthocephalus*, 60, 65, 67, 205–206, 206–208
Breeding, timing of (see Breeding season)
Breitwisch, Randall, see Zaias, Julia, and ———
Bretagnolle, V., R. Zotier, and P. Jouventin, Comparative population biology of four prions (genus *Pachyptila*) from the Indian Ocean and consequences for their taxonomic status, 305–316
Briskie, James V., and Spencer G. Sealy, Evolution of short incubation periods in the parasitic cowbirds, *Molothrus* spp., 789–794
British Columbia, 126–131, 161–170
Bromley, Peter T., review by, 221–222
Brown, David E., Arizona game birds (rev.), 817–818
Brown, James H., and Raymond Pierotti, review by, 216–218
Bruce, Murray D., see McAllan, Ian A. W., and ——
Brush, Alan H., reviews by, 232–233, 459, 460–462, 647–648, 819
Bryan, A. Lawrence, see Stangel, Peter W., et al.
Bubulcus ibis, 334–340
Bucephala albeola, 126–131
Bufflehead, 126–131
Burger, Joanna (Ed.), Seabirds and other marine vertebrates: competition, predation, and other interactions (rev.), 225–226
Burns, Kevin J., and Robert M. Zink, Temporal and geographic homogeneity of gene frequencies in the Fox Sparrow (*Passerella iliaca*), 421–425
Buteo jamaicensis, 96–106
B. lagopus, 96–106
B. lineatus, 96–106
B. platypterus, 96–106
Butler, William, see Platt, John F., et al.

Cade, Tom J., review by, 213–216; James H. Enderson, Carl G. Thelander, and Clayton M. White (Eds.), Peregrine Falcon populations, their management and recovery (rev.), 803–806
Calidris alba, 172–179
C. pusilla, 718–727
California, 161–170, 202–203, 421–424, 434–437, 649–658, 689–694, 737–742
Calls (see Vocalizations)
Cameroon, 153–158
Campbell, R. Wayne, review by, 460
Canvasback, 75–84
Carey, Cynthia, review by, 799–801
Carey, Michael, Effects of brood size and nestling age on parental care by male Field Sparrows (*Spizella pusilla*), 580–586
Carpodacus erythrinus, 35–43
Cash, Kevin J., and L. Scott Johnson, Commentary: Male parental investment and female competence in Yellow-headed Blackbirds, 205–206
Castro, G., see Myers, J. P., et al.
Census methods, 96–106, 447–450, 451–452, 595–600
Cepphus columba, 3, 7, 387–395

Cercomacra carbonaria, 242
C. ferdinandi, 242
C. manu, 239–245
C. melanaria, 242
C. nigricans, 242
Cerorhinca monocerata, 1, 2, 3–4, 6
Chancellor, R. D., see Meyburg, B.-U., and ———
Chandler, C. Ray, see Mulvihill, Robert S., and ———
Chat, Yellow-breasted, 784–787
Chen caerulescens, 199–201, 440–443, 444–446, 550–559
Chickadee, Mountain, 522–530, 531, 532
China, 404–406
Chordeiles minor, 610–613
Circus cyaneus, 96–106
Clangula hyemalis, 387–395
Clapp, Roger G., see Marks, Jeffrey S., et al.
Clark, George A., Jr., review by, 456–457
Clark, William S., A field guide to hawks—North America (rev.), 220–221
Cleptornis marchei, 500–505
Clutch size of *Aix sponsa*, 760, 761, 762; *Bubulcus ibis*, 335, 337; *Bucephala albeola*, 128, 129; *Chen caerulescens*, 440–443, 444–446; *Larus heermanni*, 772–773; *Pandion haliaetus*, 516; *Passer domesticus*, 47–49, 50, 53–54, 56; *P. montanus*, 47–49, 50, 53–54, 56; *Pyrenestes ostrinus*, 156; *Scolopax minor*, 408, 409; *Sturnus vulgaris*, 359–365
Clutton-Brock, T. H. (Ed.), Reproductive success: studies of individual variation in contrasting breeding systems (rev.), 223–224
Coffey, Ben B., Jr., and Lula C. Coffey, Songs of Mexican birds (rev.), 232
Coffey, Lula C., see Coffey, Ben B., Jr., and ———
Cooke, Fred, J. Chris Davies, and R. F. Rockwell, Commentary: Response to Alisauskas and Ankney, 444–446; see Gratto-Trevor, Cheri L., et al.; see Quinn, Thomas W., et al.
Colaptes auratus, 367–374
Commentaries, Male parental investment and female competence in Yellow-headed Blackbirds, see Cash, Kevin J., and L. Scott Johnson; Response to Cash and Johnson, see Gori, David F.; Half a million eiders off Cape Cod: compounded errors or changed populations, see Erskine, Anthony J.; Comparison of patch-use models for wintering American Tree Sparrows, see Tome, Michael W.; Response to Tome, see Gaines, Sarah; A note on statistical power, see Forbes, L. Scott; Body size and fecundity in Lesser Snow Geese, see Alisauskas, Ray T., and C. Davison Ankney; Response to Alisauskas and Ankney, see Cooke, Fred, J. Chris Davies, and R. F. Rockwell; Do point counting and spot mapping produce equivalent estimates of bird densities?, see Tomiałojć, Ludwik, and Jared Verner; Response to Tomiałojć and Verner, see Hamel, Paul B.
Communal breeding in *Diomedea immutabilis*, 119–123; *Opisthocomus hoazin*, 626–627; *Phoeniculus purpureus*, 765–770; *Progne subis*, 275–282; *Tachycineta thallasina*, 607
Compsohalieus fuscescens, 110–116
C. penicillatus, 110–116
Copperative breeding (see Communal breeding)
Coquette, Rufous-crested, 191–192; Short-crested, 191–192
Cormorant, Black-faced, 100–116; Brandt's, 3, 110–116; Double-crested, 110–116; Great, 100–116, 400–402; Little Black, 110–116; Little Pied, 110–116; Pelagic, 3, 5, 6, 7, 387–395; Pied, 110–116; Reed, 110–116
Corvus caurinus, 1, 2, 3, 5–6, 7, 8
C. ossifragus, 518
Cottrell, G. William, see Mayr, Ernst, and ———
Cowbird, Bay-winged, 789–792; Bronzed, 789–792; Brown-headed, 789–792; Screaming, 789–792; Shiny, 789–792
Cracraft, Joel, review by, 222–223
Craig, Robert J., Foraging behavior and microhabitat use of two species of white-eyes (Zosteropidae) on Saipan, Micronesia, 500–505
Cramp, Stanley (Chief Ed.), Handbook of the birds of Europe, the Middle East and North Africa. The birds of the western Palearctic. Volume V: Tyrant flycatchers to thrushes (rev.), 809–812
Crossbill, Red, 69–73, 376–382, 385–386; White-winged, 376–382, 385–386
Crow, Fish, 518; Northwestern, 1, 2, 3, 5–6, 7, 8
Cruz, Felipe, and Justine B. Cruz, Breeding, morphology, and growth of the endangered Dark-rumped Petrel, 317–326
Cruz, Justine B., see Cruz, Felipe, and ———
Curlew, Bristle-thighed, 779–780
Cuthill, Innes C., see Lohrer, Fred E., et al.

Davies, J. Chris, see Cooke, Fred, et al.
Dendroica caerulescens, 784–787
D. castanea, 784–787
D. coronata, 784–787
D. fusca, 784–787
D. magnolia, 539–543, 784–787
D. palmarum, 784–787
D. pensylvanica, 784–787
D. petechia, 539–543, 784–787
D. striata, 784–787
D. tigrina, 784–787
D. virens, 539–543, 784–787
Derleth, Eric L., see Diefenbach, Duane R., et al.
DeWolfe, Barbara B., review by, 817
Dickerman, Robert W., Geographic variation in the juvenal plumage of the Common Nighthawk (*Chordeiles minor*) in North America, 610–613
Diefenbach, Duane R., Eric L. Derleth, W. Matthew Vander Haegen, James D. Nichols, and James E. Hines, American Woodcock winter distribution and fidelity to wintering areas, 745–749
Dilley, William E., see Toops, Connie, and ———
Diomedea immutabilis, 119–123

Distribution of *Aimophila aestivalis*, 463–471; ***Cercomacra manu***, 240–241; *Parus bicolor*, 184–187; *Scolopax minor*, 745–748
Distribution, spatial, 466, 515, 679–680, 684–685
Dixon, Keith L., Constancy of margins of the hybrid zone in titmice of *Parus bicolor* complex in coastal Texas, 184–188
Doughty, Robin W., Return of the Whooping Crane (rev.), 812–814
Dove, Mourning, 18–23
Drummond, Hugh, see Urrutia, Lena P., and ———
Drymophila devillei, 475–476, 477–478, 481, 485, 487, 489
Duck, Harlequin, 387–395; Wood, 756–762
Duffy, David Cameron, review by, 225–226
Dunning, John B., Jr., and Bryan D. Watts, Regional differences in habitat occupancy by Bachman's Sparrow, 463–472
Dunning, John S., South American birds: a photographic aid to identification (rev.), 461
Dysithamnus mentalis, 475–476, 477–478, 481, 485, 487, 489

Eagle, Bald, 96–106, 390, 394, 395; Golden, 96–106; 438–439
Ecology, breeding communities, 387–395; commensal feeding, 678–687; community structure, 6–7, 353–354, 776; competition, 8, 31, 133–143, 351–357, 367–374, 504–505, 606–607; demography, 24–33; dispersal, 471; habitat partitioning, 351–357; habitat selection, 367–374, 434–437, 463–471, 522–530, 531, 532, 539–543, 567–578, 608–609, 775, 778; population structure, 25–33, 614–618; predator-prey relationships, 1–8, 327–332, 438–439, 686–687, 775–778; resource partitioning, 133–143, 500–505; seasonal variation, 25–33; territoriality, 86–93
Ecology of *Aimophila aestivalis*, 463–471; *Aquila chrysaetos*, 438–439; ***Cercomacra manu***, 244–245; *Cleptornis marchei*, 500–505; *Colaptes auratus*, 367–374; *Dendroica magnolia*, 539–543; *D. petechia*, 539–543; *D. virens*, 539–543; *Falco columbarius*, 25–33; *F. peregrinus*, 1–8; *Fulmarus glacialis*, 686–687; *Geothlypis trichas*, 539–543; *Loxia curvirostra*, 376–382; *L. leucoptera*, 376–382; *Melanerpes uropygialis*, 367–374; *Melospiza melodia*, 775–778; *Mniotilta varia*, 539–543; *Mycteria americana*, 614–618; *Otus asio*, 567–578; *Parula americana*, 539–543; *Parus gambeli*, 522–530, 531, 532; *P. inornatus*, 522–530, 531, 532; *Passerculus sandwichensis*, 775–778; *Phalaropus fulicaria*, 686–687; *Phylloscopus borealis*, 434–437; *Protonotaria citrea*, 133–143, 146–149, 151–152, 539–543; *Rissa tridactyla*, 686; *Rostrhamus sociabilis*, 327–332; *Setophaga ruticilla*, 539–543; *Sialia mexicana*, 606–607; *Sitta europaea*, 86–93; *Spizella arborea*, 210–211, 211–212; *Sterna dougallii*, 351–357; *S. hirundo*, 351–357; *Sturnus vulgaris*, 367–374; *Tachycineta thallassina*, 606–607; *Uria lomvia*, 686; *Wilsonia citrina*, 539–543; *Zosterops conspicillatus*, 500–505
Eggs, 410–412, 696–704, 789–792, 794; density, specific volume, and volume, 319, 789–792, 794; laying, 309, 310, 319, 324, 376–382, 693, 696–704, 792; temperature, 431–433
Eggs, descriptions and measurements, *Larus heermanni*, 773; *Passer domesticus*, 47, 49–50; *P. montanus*, 47, 49–50; *Pterodroma phaeopygia*, 319
Egret, Cattle, 334–340
Eider, Common, 208–209, 660–667
El Halawani, Mohamed E., see Gratto-Trevor, Cheri L., et al.
Ellis, David H., and Dwight G. Smith, review by, 812–814
Empidonax minimus, 790, 792
Emslie, S. D., R. P. Henderson, and D. G. Ainley, Annual variation of primary molt with age and sex in Cassin's Auklet, 689–695
Endangered species, 123, 317–325, 351, 463–471, 608–609, 737–742
Enderson, James H., see Cade, Tom J., et al.
England, 623–625
Engstrom, R. Todd, and Gregory W. Evans, Hurricane damage to Red-cockaded Woodpecker (*Picoides borealis*) cavity trees, 608–610
Environment, influence on, *Aimophila aestivalis*, 463–471; *Chen caerulescens*, 550–559; Phalacrocoracidae, 113–114, 115–116; *Phoeniculus purpureus*, 766; *Protonotaria citrea*, 146–149; *Pterodroma phaeopygia*, 323; *Rostrhamus sociabilis*, 327–332
Erskine, Anthony J., Commentary: Half a million eiders off Cape Cod: compounded errors or changed populations., 208–209
Evans, Gregory W., see Engstrom, R. Todd, and ———
Evans, Roger M., Terminal-egg chilling and hatching intervals in the American White Pelican, 431–434
Evered, Duncan Stuart, Measures of wing area and wing span from wing formula data, 784–787
Evolution of communal breeding, 275–282; reproductive divergence, 153–158
Evolution of *Myrmotherula* spp., 473–483; *Phaenicophilus palmarum*, 712–713, 715–716; *P. poliocephalus*, 712–713, 715–716; *Pyrenestes ostrinus*, 153–158

Falco columbarius, 25–33, 96–106
F. peregrinus, 1–8, 96–106
F. sparverius, 96–106
Falcon, Peregrine, 1–8, 96–106
Falls, J. Bruce, see Weary, Daniel M., et al.
Fantail, Rufous, 502
Feathers (see Molts and plumages)
Fecundity (see Clutch size)
Feducia, A., Birds of colonial Williamsburg: a historical portfolio (rev.), 647–468
Fenbert, Lisa, see Gaunt, Abbot S., et al.
Ficedula albicollis, 429–431
F. hypoleuca, 429–431, 730–734

Finch, Bengalese, 193–196; Zebra, 193–196
Fitzpatrick, John W., and David E. Willard, *Cercomacra manu*, a new species of antbird from southwestern Amazonia, 239–245
Fivizzani, Albert J., see Gratto-Trevor, Cheri L., et al.
Fledgling of *Passer domesticus*, 50–52, 57; *P. montanus*, 50–52, 57
Fleming, W. James, see Petit, Lisa J., et al.
Flicker, Northern, 367–374
Florida, 202–203, 327–332, 414–415, 544–548, 614–618
Flycatcher, Least, 790, 792; Pied, 730–734
Food and feeding habits of (see also Behavior, feeding) *Aethia cristatella*, 346, 348, 349; *A. pusilla*, 346, 348, 349, 679, 685; **Cercomacra manu**, 244–245; *Chen caerulescens*, 550–559; *Cleptornis marchei*, 500–505; *Falco peregrinus*, 1–8; *Fulmarus glacialis*, 678–681, 683, 684–687; *Loxia curvirostra*, 376–382; *L. leucoptera*, 376–382; *Pachyptila belcheri*, 309–310, 311; *P. desolata*, 309–310, 311; *P. salvini*, 309–310, 311; *P. turtur*, 309–310, 311; *Parus gambeli*, 522–530, 531, 532; *P. inornatus*, 522–530, 531, 532; *Passer domesticus*, 53, 55, 57; *P. montanus*, 53, 55, 57; *Phalacrocorax carbo*, 400–402; *Phalaropus fulicaria*, 678–687; *Phylloscopus borealis*, 434–437; *Protonotaria citrea*, 133–143, 146–149, 151–152; *Pyrenestes ostrinus*, 153–158; *Quiscalus major*, 327, 331, 332; *Rissa tridactyla*, 678–682, 684–687; *Rostrhamus sociabilis*, 327–332; *Rynchops niger*, 260–272; *Somateria mollissima*, 662, 666; *Spizella arborea*, 210–211, 211–212; *Sterna caspia*, 260–272; *S. dougallii*, 351–357; *S. hirundo*, 351–357; *Tyto alba*, 252; *Uria lomvia*, 678–681, 683–687; *Zosterops conspicillatus*, 500–505
Foraging (see Food and feeding habits; Behavior, feeding)
Forbes, L. Scott, Commentary: A note on statistical power, 438–439
Ford, Hugh A., Ecology of birds: an Australian perspective (rev.), 814–815; see Lohrer, Fred E., et al.
Forman, Lisa, see Morton, Eugene S., et al.
Formicivora rufa, 475–476, 477–478, 481, 485, 487, 489
Fox, A. D., review by, 806–808
Fratercula cirrhata, 7, 387–395
F. corniculata, 387–395
Freeman, Scott, and Wendy M. Jackson, Univariate metrics are not adequate to measure avian body size, 69–74
Fukuda, Michio, see Mizutani, Hiroshi, et al.
Fulmar, Northern, 387–395, 678–687, 750–754
Fulmarus glacialis, 387–395, 678–687, 750–754
Furness, Robert W., The skuas (rev.), 226–227

Gadwall, 188–190
Gaines, Sarah, Commentary: Response to Tome, 211–212
Galápagos, 317–325
Gaunt, A. S., review by, 229–230
Gaunt, Abbot S., Robert S. Hikida, Joseph R. Jehl, Jr., and Lisa Fenbert, Rapid atrophy and hypertrophy of an avian flight muscle, 649–659
Gauthier, Gilles, Philopatry, nest-site fidelity, and reproductive performance in Buffleheads, 126–132
Gavia adamsii, 387–395
Gelter, Hans P., and Håkan Tegelström, Restriction enzyme cleavage of nuclear DNA reveals differences in repetitive sequences in two species pair (*Ficedula* and *Parus*), 429–431; see Tegelström, Håkan, et al.
Genetic variation in (see Genetics, genetic variation)
Genetics, 31–32, 199–201, 278–279, 280, 310, 421–424, 429–431, 473–475, 478–483, 486–487, 614–618, 620–622, 707–716, 730–734, 737–742; gene flow, 617–618, 716, 742; genetic variation, 421–424, 473–475, 478–482, 614–618, 620–622, 707–716, 730–734, 737–742
Genetics of *Branta bernicla*, 620–622; *Chen caerulescens*, 199–201; *Drymophila devillei*, 481, 487; *Dysithamnus mentalis*, 481, 487; *Falco columbarius*, 31–32; *Ficedula albicollis*, 429–431; *F. hypoleuca*, 429–431, 730–734; *Formicivora rufa*, 481, 487; *Grallaria quitensis*, 481, 487; *Herpsilochmus rufimarginatus*, 481, 487; *Hylophylax poecilonota*, 481, 487; *Microrhopias quixensis*, 481, 487; *Mycteria americana*, 614–618; *Myrmotherula* spp., 473–475, 478–483, 486–487; *Pachyptila belcheri*, 310; *P. desolata*, 310; *P. salvini*, 310; *P. turtur*, 310; *Parus caeruleus*, 429–431; *P. major*, 429–431; *Passerella iliaca*, 421–424; *Phaenicophilus palmarum*, 707–716; *P. poliocephalus*, 707–716; *Progne subis*, 278–279, 280; *Pygiptila stellaris*, 481, 487; *Strix occidentalis*, 737–742; *Terenura humeralis*, 481, 487; *Thamnophilus doliatus*, 481, 487
George, T. Luke, review by, 802–803
Geographic variation in molts and plumages, 184–187, 610–613; vocalizations, 202–203
Geographic variation in *Aphelocoma coerulescens*, 202–203; *Chordeiles minor*, 610–613; *Parus bicolor*, 184–187; *Passerella iliaca*, 421, 424
Georgia, 608–609, 775–778
Geothlypis trichas, 539–543, 784–787
Gill, Robert E., Jr., see Marks, Jeffrey S., et al.
Goldstein, David L., and Afshan Zahedi, Variation in osmoregulatory parameters of captive and wild House Sparrows (*Passer domesticus*), 533–538
Goodman, Steven M., and Peter L. Meininger (Eds.), The birds of Egypt (rev.), 460–461
Goodrich, Laurie J., see Bednarz, James C., et al.
Goose, Snow, 199–201, 440–443, 550–559
Gordon, L. M., see Myers, J. P., et al.
Gori, David F., Commentary: Response to Cash and Johnson, 206–208
Goriup, Paul D. (Ed.), Ecology and conservation of grassland birds (rev.), 802–803
Goshawk, Northern, 96–106
Grackle, Boat-tailed, 327, 331, 332
Grallaria quitensis, 477–478, 481, 485, 487
Gratto-Trevor, Cheri L., Lewis W. Oring, Albert J. Fivizzani, Mohamed E. El Halawani, and Fred

Cooke, The role of prolactin in parental care in a monogamous and a polyandrous shorebird, 718–729
Grebe, Eared, 649–658
Greenberg, Russell, reviews by, 640–642, 815–817; see Ornat, Arturo Lopez, and ———
Gregoire, Paul E., and C. Davison Ankney, Agonistic behavior and dominance relationships among Lesser Snow Geese during winter and spring migration, 550–560
Grimmett, R. F. A., and T. A. Jones, Important bird areas in Europe (rev.), 461
Growth and development of *Aethia cristatella*, 342, 346, 347, 349; *A. pusilla*, 342, 346, 347, 349; *Passer domesticus*, 50–52, 53, 57; *P. montanus*, 50–52, 53, 57; *Phalacrocorax aristotelis*, 410–412; *Pterodroma phaeopygia*, 321, 323, 324–325; *Sterna hirundo*, 698–700, 701–702
Guam, 404–406
Guillemot, Pigeon, 3, 7, 387–395
Gull, Glaucous-winged, 3, 387–395; Heerman's, 3, 772–774
Gutiérrez, R. J., see Barrowclough, George F., and ———
Gwynne, J. A., see Ridgely, Robert S., and ———
Gymnorhinus cyanocephalus, 296–303

Habitat of *Aimophila aestivalis*, 463–471; ***Cercomacra manu***, 244–245; *Parus gambeli*, 525; *P. inornatus*, 525; *Phylloscopus borealis*, 434–437; *Sitta europaea*, 87, 89–90, 91, 93; *Sterna dougallii*, 352–353, 356–357; *S. hirundo*, 352–353, 356–357
Hackett, Shannon J., and Kenneth V. Rosenberg, Comparison of phenotypic and genetic differentiation in South American antwrens (Formicariidae), 473–489
Haematopus bachmani, 1, 3, 5–6, 7
Hagan, John M., III, and Jeffrey R. Walters, Foraging behavior, reproductive success, and colonial nesting in Ospreys, 506–521
Haiti, 707–716
Haliaeetus leucocephalus, 96–106, 390, 394, 395
Hamel, Paul B., Commentary: Response to Tomiałojć and Verner, 451–453
Harrier, Northern, 96–106
Harris, M. P., and S. Wanless, Breeding status and sex of Common Murres (*Uria aalge*) at a colony in autumn, 603–605
Harris, Tony, Shrikes of southern Africa (rev.), 232–233
Hart, Mark, see McKinney, Frank, et al.
Harvey, William F., IV, see Hepp, Gary R., et al.
Hatch, Scott A., Individual variation in behavior and breeding success of Northern Fulmars, 750–755; see Piatt, John F., et al.
Hatching, success of (see Breeding success)
Hatching, timing of, 30, 32, 206, 309, 310, 344, 347, 359–365, 431–433, 696–704, 773
Hawaii, 199–123, 779–780
Hawk, Broad-winged, 96–106; Cooper's, 96–106; Red-shouldered, 96–106; Red-tailed, 96–106; Rough-legged, 96–106; Sharp-shinned, 96–106
Hayman, Peter, John Marchant, and Tony Prater, Shorebirds: an identification guide to the waders of the world (rev.), 454–455
Henderson, R. P., see Emslie, S. D., et al.
Henricks, Paul, see Marks, Jeffrey S., et al.
Henny, Charles J., review by, 808–809
Hepp, Gary R., Robert A. Kennamer, and William F. Harvey IV, Incubation as a reproductive cost in female Wood Ducks, 756–764
Herpsilochmus rufimarginatus, 475–476, 477–478, 481, 485, 487, 489
Hickey, Joseph J., In memoriam: Alfred E. Eynon, 398
Hikida, Robert S., see Gaunt, Abbot S., et al.
Hines, James E., see Diefenbach, Duane R., et al.
Histrionicus histrionicus, 387–395
Hoatzin, 626–627
Holm, Halvor, see Parker, Howard, and ———
Home range (see Territory of)
Honeyeater, Micronesian, 502
Houde, Peter W., Paleognathous birds from the Early Tertiary of the Northern Hemisphere (rev.), 455–456
Houston, C. Stuart, In memoriam: Willetta Lueshen, 399
Hudec, Karel, see Šťastný, Karel, et al.
Hunt, George L., Jr., see Obst, Bryan S., and ———
Hunter, F. M., see Birkhead, T. R., and ———
Hutchinson, Clive D., Birds in Ireland (rev.), 233
Hybrids and hybridization of *Ficedula albicollis* × *F. hypoleuca*, 430–431; *Oporornis philadelphia* × *O. tolmiei*, 161–170; *Parus bicolor* complex, 184–187
Hylophylax poecilonota, 475–476, 477–478, 481, 485, 487, 489
Hypocnemis cantator, 475–476, 477–478, 481, 485, 487, 489
Hypoleucus auritus, 110–116; *H. olivaceus*, 110–116; *H. sulcirostris*, 110–116; *H. varius*, 110–116

Iapichino, Carmelo, and Bruno Massa, The birds of Sicily (rev.), 647
Icteria virens, 784–787
Idaho, 161–170
Illinois, 784–787
Incubation and incubation period of *Passer domesticus*, 50; *P. montanus*, 50; *Pelecanus erythrorhynchos*, 431–433; *Pterodroma phaeopygia*, 320, 324; *Rynchops niger*, 264, 272; *Somateria mollissima*, 663; *Sterna caspia*, 264, 272; *Sturnus vulgaris*, 359, 361, 363; *Vanellus coronata*, 10–16; *V. lugubris*, 10–16; *V. melanopterus*, 10–16;
Indian Ocean, 305–314
Isler, Morton, and Phyllis Isler, review by, 228–229
Isler, Phyllis, see Isler, Morton, and ———

Jaarola, Maarit, see Tegelström, Håkan, et al.
Jackson, Wendy M., see Freeman, Scott, and ———
James, Paul C., see Warkentin, Ian G., et al.
Japan, 284–294, 400–402
Jay, Pinyon, 296–303; Scrub, 202–203
Jehl, Joseph R., Jr., see Gaunt, Abbot S., et al.
Johnson, Douglas H., and Terry L. Shaffer, Estimating nest success: when Mayfield wins, 595–600
Johnson, Kristine, and John M. Marzluff, Some problems and approaches in avian mate choice, 296–304
Johnson, L. Scott, see Cash, Kevin J., and ———; and L. Henry Kermott, Possible causes of territory takeovers in a north-temperate population of House Wrens, 781–784
Johnson, Ned K., review by, 218–220
Johnson, Timothy H., Biodiversity and conservation in the Caribbean: profiles of selected islands (rev.), 799–801
Jones, T. A., see Grimmett, R. F. A., and ———
Jouventin, P., see Bretagnolle, V., et al.
Junco, Dark-eyed, 490–497, 561–566, 669–676
Junco hyemalis, 490–497, 561–566, 669–676

Kabaya, Yuko, see Mizutani, Hiroshi, et al.
Kale, Herbert W., II, and David S. Maehr, Florida's birds (rev.), 797–799; review by, 818–819
Kansas, 69–73, 669–676
Kaufman, Kenn, review by, 454–455
Keast, J. Allen, In memoriam: Julian R. Ford, 601
Keith, Stuart, review by, 647
Kemp, Kenneth E., see Robel, Robert J., et al.
Kendziorek, Marshal, see Piatt, John F., et al.
Kennamer, Robert A., see Hepp, Gary R., et al.
Kentucky, 567–578
Kenya, 765–770
Kepler, Cameron B., see Snyder, Noel F. R., et al.
Kerlinger, Paul, Flight strategies of migrating hawks (rev.), 801–802
Kermott, L. Henry, see Johnson, L. Scott, and ———
Kerpez, Theodore A., and Norman S. Smith, Competition between European Starlings and native woodpeckers for nest cavities in saguaros, 367–375
Kestrel, American, 96–106
Kilham, Lawrence, The American Crow and the Common Raven (rev.), 230–231
King, A. A., and J. McLelland (Eds.), Form and function in birds, vol. 4 (rev.), 229–230
Kite, Snail, 327–332
Kittiwake, Black-legged, 3, 7, 387–395, 678–687
Klem, Daniel, Jr., see Bednarz, James C., et al.
Koenig, Walter D., review by, 223–224
Kofalk, Harriet, No woman tenderfoot: Florence Merriam Bailey, pioneer naturalist (rev.), 817

Larus glaucescens, 3, 387–395
L. heermanni, 3, 772–774
Lehmann, Val W., Bobwhites in the Rio Grande plain of Texas (rev.), 454
Lein, M. Ross, and Bruce M. Beehler, editors of book reviews, 213–233, 454–462, 629–648, 795–819
Lensink, Calvin J., see Piatt, John F., et al.
Leucocarbo capensis, 110–116
L. nigrogularis, 110–116
Lewis, Mark G., and Fred A. Sharpe, Birding in the San Juan Islands (rev.), 460
Lidster, Wayne W., see Piatt, John F., et al.
Ligon, J. David, and Sandra H. Ligon, Female-biased sex ratio at hatching in the Green Woodhoopoe, 765–771
Ligon, Sandra H., see Ligon, J. David, and ———
Livezey, Bradley C., review by, 455–456
Lohrer, Fred E., John L. Trapp, David A. Wiedenfeld, Hugh A. Ford, Innes C. Cuthill, and Robert D. Magrath, editors of *Recent Ornithological Literature*, 1A–27A, 1B–37B, 1C–36C, 1D–68D
Lonchura striata, 193–196
Longcore, Jerry R., see McAuley, Daniel G., et al.
Longevity (see Mortality and survival)
Longmore, N. W., and Walter E. Boles, A method of combined skin-fluid specimen preparation, 788–789
Loon, Yellow-billed, 387–395
Lophornis brachylopha, 191–192
L. delattrei, 191–192
Losito, Michael P., Ralph E. Mirarchi, and Guy A. Baldassarre, Summertime activity budgets of hatching-year Mourning Doves, 18–24
Louisiana, 550–559, 745–748
Loxia curvirostra, 69–73, 376–382, 385–386
L. leucoptera, 376–382, 385–386
Lynch, James F., review by, 814–815
Lyrebird, Albert's, 788

Maehr, David S., see Kale, Herbert S., II, and ———
Magrath, Robert D., see Lohrer, Fred E., et al.
Maine, 376–382, 407–409
Majewski, Przemyslaw, see Panek, Marek, and ———
Malecki, Richard A., see Bollinger, Patricia Blair, et al.
Mallard, 188–190, 255–259
Manitoba, 75–84, 199–201, 431–433, 718–727, 790–792
Mao Ying, see Williams, Timothy C., and ———
Marchant, John, see Hayman, Peter, et al.
Marks, Jeffrey S., Roland L. Redmond, Paul Hendricks, Roger B. Clapp, and Robert E. Gill, Jr., Notes on longevity and flightlessness in Bristle-thighed Curlews, 779–781
Maron, J. L., see Myers, J. P., et al.
Marti, Carl D., Sex and age dimorphism in the Barn Owl and a test of mate choice, 246–254

Martin, Purple, 275–282
Maryland, 275–282
Marzluff, John M., review by 230–231; see Johnson, Kristine, and ———
Mass and measurements of *Aethia cristatella*, 346, 347; *A. pusilla*, 346, 347; *Agelaius phoeniceus*, 69–73; *Aix sponsa*, 759; *Anas platyrhynchos*, 256–257, 258; *Aythya valiseneria*, 75–84; *Cercomacra carbonaria*, 242; *C. ferdinandi*, 242; ***C. manu***, 240–242; *C. melanaria*, 242; *C. nigricans*, 242; *Chen caerulescens*, 440–443, 444–446; *Dendroica caerulescens*, 784–787; *D. castanea*, 784–787; *D. coronata*, 784–787; *D. fusca*, 784–787; *D. magnolia*, 784–787; *D. palmarum*, 784–787; *D. pensylvanica*, 784–787; *D. petechia*, 784–787; *D. striata*, 784–787; *D. tigrina*, 784–787; *D. virens*, 784–787; *Falco columbarius*, 27, 28; *Geothlypis trichas*, 784–787; *Icteria virens*, 784–787; *Junco hyemalis*, 492, 562, 564, 671, 672, 673; *Loxia curvirostra*, 69–73; *Mniotilta varia*, 784–787; *Myrmotherula* spp. 474; *Oporornis agilis*, 784–787; *O. formosus*, 784–787; *O. philadelphia*, 164, 166, 784–787; *O. tolmiei*, 164, 166; *Pachyptila belcheri*, 307; *P. desolata*, 307; *P. salvini*, 307; *P. turtur*, 307; *Passer domesticus*, 50–52, 56; *P. montanus*, 50–52, 56; *Phalacrocorax aristotelis*, 411, 412; *Podiceps nigricollis*, 652, 653; *Prunella collaris*, 288; *Pterodroma phaeopygia*, 320–321, 322, 323; *Ptychoramphus aleuticus*, 691–692, 693; *Rynchops niger*, 263, 264; *Scolopax minor*, 409; *Seiurus aurocapillus*, 784–787; *S. noveboracensis*, 784–787; *Setophaga ruticilla*, 784–787; *Sitta europaea*, 91, 92; *Somateria mollissima*, 660–667; *Spizella pusilla*, 583; *Sterna caspia*, 263, 264; *S. hirundo*, 699; *Tyto alba*, 248, 249–251; *Vermivora celata*, 784–787; *V. chrysoptera*, 784–787; *V. peregrina*, 784–787; *V. ruficapilla*, 784–787; *Wilsonia canadensis*, 784–787; *W. citrina*, 784–787; *W. pusilla*, 784–787; *Zonotrichia querula*, 69–73
Massa, Bruno, see Iapichino, Carmelo, and ———
Massachusetts, 784–787
Mating systems of *Carpodacus erythrinus*, 35–43; *Gymnorhinus cyanocephalus*, 296, 299–302; *Opisthocomus hoazin*, 627; *Progne subis*, 275–282
Matthysen, Erik, Behavioral and ecological correlates of territory quality in the Eurasian Nuthatch (*Sitta europaea*), 86–95
Mayr, Ernst, and G. William Cottrell (Eds.), Checklist of birds of the world: a continuation of the work of James L. Peters, vol. XI (rev.), 629–639
McAllan, Ian A. W., and Murray D. Bruce, The birds of New South Wales: a working list (rev.), 458–459
McAuley, Daniel G., Jerry R. Longcore, and Greg F. Sepik, Renesting by American Woodcocks (*Scolopax minor*) in Maine, 407–410
McDonald, Mara M., and Michael H. Smith, Speciation, heterochrony, and genetic variation in Hispaniolan palm-tanagers, 707–717
McIntyre, Judith W., The Common Loon: spirit of northern lakes (rev.), 457–458
McKilligan, N. G., Promiscuity in the Cattle Egret (*Bubulcus ibis*), 334–341
McKinney, Frank, Lisa Guminski Sorenson, and Mark Hart, Multiple functions of coursthip displays in dabbling ducks (Anatini), 188–191
Measurements (see Mass and ———)
McKitrick, Mary C., review by, 797–799
McLelland, J., see King, A. S., and ———
Meininger, Peter L., see Goodman, Steven M., and ———
Melanerpes uropygialis, 367–374
Melospiza melodia, 775–778
Memorial of Alfred E. Eynon, 398; Julian R. Ford, 601; Willetta Lueshen, 399; Margaret Howell Mitchell, 601–602; William H. Phelps Jr., 181–183; Sir Peter Markham Scott, 602
Menura alberti, 788
Merlin, 25–33, 96–106
Metabolism of *Junco hyemalis*, 562–563
Mexico, 191–192, 539–543, 772–774
Meyburg, B.-U., and R. D. Chancellor (Eds.), Raptors in the modern world (rev.), 639–640
Meštrov, M. M., and G. Sušić (Eds.), [Ornithology in Croatia] (rev.), 817
Michigan 784–787
Microcarbo africanus, 110–116
M. Melanoleucos, 110–116
Micronesia, 500–505
Microrhopias quixensis, 475–476, 477–478, 481, 485, 487, 489
Migration and orientation, 25–33, 172–179, 180, 404–406, 425–427, 490–497; effects of weather on, 425–427
Migration and orientation of *Calidris alba*, 172–179; *Falco columbarius*, 25–33; *Junco hyemalis*, 490–497; *Oporornis formosus*, 425–427; *Seiurus aurocapillus*, 425–427; *S. noveboracensis*, 425–427; *Wilsonia citrina*, 425–427
Mikuska, József, review by, 817
Mimus polyglottos, 414–415
Mirarchi, Ralph E., see Losito, Michael P., et al.
Mizutani, Hiroshi, Michio Fukuda, Yuko Kabaya, and Eitaro Wada, Carbon isotope ratio of feathers reveals feeding behavior of cormorants, 400–403
Mniotilta varia, 539–543, 784–787
Mockingbird, Northern, 414–415
Molothrus aeneus, 789–792; *M. ater*, 789–792; *M. badius*, 789–792; *M. bonariensis*, 789–792; *M. rufoaxillaris*, 789–792
Molts and plumages of *Anas platyrhynchos*, 225–259; *Bubulcus ibis*, 338; ***Cercomacra manu***, 239–240, 241–242; *Chordeiles minor*, 610–613; *Drymophila devillei*, 475–476, 489; *Dysithamnus mentalis*, 475–476, 489; *Formicivora rufa*, 475–476, 489; *Herpsilochmus rufimarginatus*, 475–476, 489; *Hylophylax poecilonota*, 475–476, 489; *Hypocnemis cantator*, 475–476, 489; ***Lophornis brachylopha***, 191–192; *Microrhopias quixensis*, 475–476, 489; *Mimus polyglottos*, 414–415;

Myrmotherula spp., 475–476, 488; *Numenius tahitiensis*, 779–780; *Oporornis philadelphia*, 162, 164, 165, 169, 170; *O. tolmiei*, 162, 164, 165, 169, 170; *Parus bicolor*, 184–187; *Phalacrocorax carbo*, 400–402; *Ptychoramphus aleuticus*, 689–694; *Pygiptila stellaris*, 475–476, 489; *Terenura humeralis*, 475–476, 489; *Thamnophilus doliatus*, 475–476, 489
Monson, Gale, review by, 817–818
Montana, 161–170
Moore, Frank R., Evidence for redetermination of migratory direction following wind displacement, 425–428
Morrison, Michael L., see With, Kimberly A., and ———
Morse, Douglass H., American Warblers (rev.), 815–817
Mortality and survival of *Aethia cristatella*, 345, 349; *A. pusilla*, 345, 349; *Aix sponsa*, 759, 760; *Brachyramphus marmoratus*, 387–395; *Cepphus columba*, 387–395; *Cerorhinca monocerata*, 4; *Clangula hyemalis*, 387–395; *Falco columbarius*, 32–33; *Fratercula cirrhata*, 387–395; *F. corniculata*, 387–395; *Fulmarus glacialis*, 387–395; *Gavia adamsii*, 387–395; *Gymnorhinus cyanocephalus*, 296, 301; *Haliaeetus leucocephalus*, 390, 395; *Histrionicus histrionicus*, 387–395; *Larus glaucescens*, 387–395; *L. heermanni*, 772–774; *Melospiza melodia*, 777; *Numenius tahitiensis*, 779–780; *Oceanodroma furcata*, 387–395; *Passer domesticus*, 52–53, 54–55; *P. montanus*, 52–53, 54–55; *Passerculus sandwichensis*, 777; *Phalacrocorax pelagicus*, 387–395; *Phoeniculus purpureus*, 768–769; *Picoides borealis*, 609; *Puffinus griseus*, 387–395; *P. tenuirostris*, 387–395; *Rissa tridactyla*, 387–395; *Sitta europaea*, 91, 92; *Sterna hirundo*, 696–704; *Sturnus vulgaris*, 359, 361–364; *Uria aalge*, 387–395; *U. lomvia*, 387–395
Morton, Eugene S., Lisa Forman, and Michael Braun, Extrapair fertilizations and the evolution of colonial breeding in Purple Martins, 275–283
Mulvihill, Robert S., and C. Ray Chandler, The relationship between wing shape and differential migration in the Dark-eyed Junco, 490–499
Murre, Common, 1, 3, 5, 387–395, 603–605; Thick-billed, 387–395, 678–687
Murrelet, Marbled, 3, 387–395
Mycteria americana, 614–618
Myers, J. P., M. Sallaberry, A. E. Ortiz, G. Castro, L. M. Gordon, J. L. Maron, C. T. Schick, E. Tabilo, P. Antas, and T. Below, Migration routes of New World Sanderlings (*Calidris alba*), 172–180
Myrmotherula assimilis, 473–483, 485–489
M. axillaris, 473–483, 485–489
M. behni, 473–483, 485–489
M. brachyura, 473–483, 485–489
M. erythrura, 473–483, 485–489
M. fulviventris, 473–483, 485–489
M. grisea, 473–483, 485–489
M. haematonota, 473–483, 485–489
M. hauxwelli, 473–483, 485–489
M. leucophthalma, 473–483, 485–489
M. longicauda, 473–483, 485–489
M. longipennis, 473–483, 485–489
M. menetriesii, 473–483, 485–489
M. obscura, 473–483, 485–489
M. ornata, 473–483, 485–489
M. schisticolor, 473–483, 485–489
M. sclateri, 473–483, 485–489
M. surinamensis, 473–483, 485–489
Myzomela rubrata, 502

Nakamura, Masahiko, Cloacal protuberance and copulatory behavior of the Alpine Accentor (*Prunella collaris*), 284–295
Nelms, Curtis O., see Avery, Michael L., and ———
Nest and nest site of *Bubulcus ibis*, 337; *Carpodacus erythrinus*, 36, 39–40, 43; *Colaptes auratus*, 367–374; *Melanerpes uropygialis*, 367–374; *Pachyptila belcheri*, 307, 309; *P. desolata*, 307, 309; *P. salvini*, 307, 309; *P. turtur*, 307, 309; *Pandion haliaetus*, 507, 515–516, 517, 519; *Picoides borealis*, 608–609; *Pterodroma phaeopygia*, 319; *Pyrenestes ostrinus*, 154–155, 157; *Scolopax minor*, 408; *Sturnus vulgaris*, 367–374; *Uria aalge*, 5
Nest parasitism, 760, 761, 762, 789–792
Nestling of *Aethia cristatella*, 345, 346, 349; *A. pusilla*, 345, 346, 349; *Phalacrocorax aristotelis*, 410–412; *Pyrenestes ostrinus*, 157; *Spizella pusilla*, 583
Nevada, 161–170, 421–424
New Brunswick, 376–382
New Jersey, 359–365
New Mexico, 737–742
New York, 161–170, 351–357, 376–382, 696–704
Nichols, James D., see Diefenbach, Duane R., et al.
Nighthawk, Common, 610–613
Norris, Ken J., see Weary, Daniel M., et al.
North Carolina, 506–519
Northwest Territories, 620–622
Norway, 410–412, 660–667
Notocarbo atriceps, 110–116
N. bransfieldensis, 110–116
N. georgianus, 110–116
N. verrucosus, 110–116
Numenius tahitiensis, 779–780
Nuthatch, Eurasian, 86–93
Nysewander, David R., see Piatt, John F., et al.

Obst, Bryan S., and George L. Hunt, Jr., Marine birds feed at gray whale mud plumes in the Bering Sea, 678–688
Oceanodroma furcata, 1, 2–3, 6, 7, 387–395
O. leucorhoa, 1, 3, 6, 7
Ohio, 533–538, 784–787
Oldsquaw, 387–395
Oliphant, Lynn W., see Warkentin, Ian G., et al.
Olson, Storrs, L., review by, 458–459
Ontario, 161–170, 376–382, 784–787
Opisthocomus hoazin, 626–627

Oporornis agilis, 784–787
O. formosus, 425–427, 784–787
O. philadelphia, 161–170, 784–787
O. tolmiei, 161–170
Oregon, 161–170, 561–566, 737–742
Orians, Gordon H., see Beletsky, Les D., et al.
Oring, Lewis W., see Gratto-Trevor, Cheri L., et al.
Ornat, Arturo Lopez, and Russell Greenberg, Sexual segregation by habitat in migratory warblers in Quintana Roo, Mexico, 539–543
Ortiz, E., see Myers, J. P., et al.
Osprey, 96–106, 506–519
Osteology of *Compsohalieus fuscescens*, 110–116; *C. penicillatus*, 110–116; *Hypoleucus auritus*, 110–116; *H. olivaceus*, 110–116; *H. sulcirostris*, 110–116; *H. varius*, 110–116; *Leucocarbo capensis*, 110–116; *L. nigrogularis*, 110–116; *Microcarbo africanus*, 110–116; *M. melanoleucos*, 110–116; *Notocarbo atriceps*, 110–116; *N. bransfieldensis*, 110–116; *N. georgianus*, 110–116; *N. verrucosus*, 110–116; Phalacrocoracidae, 110–116; *Phalacrocorax carbo*, 110–116; *Stictocarbo gaimardi*, 110–116; *S. magellanicus*, 110–116; *S. pelagicus*, 110–116
Otis asio, 567–578
O. kennicottii, 3
Owl, Barn, 246–253; Spotted, 737–742
Oystercatcher, Black, 1, 3, 5–6, 7

Pachyptila belcheri, 305–314
P. desolata, 305–314
P. macgillivrayi, 313–314
P. salvini, 305–314
P. turtur, 305–314
P. vittata, 312–314
Paine, R. T., J. T. Wootton, and P. D. Boersma, Direct and indirect effects of Peregrine Falcon predation on seabird abundance, 1–9
Palm-Tanager, Black-crowned, 707–716; Gray-crowned, 707–716
Palmer, Ralph S. (Ed.), Handbook of North American birds (rev.), 213–216
Panama, 473–483
Pandion haliaetus, 96–106, 506–519
Panek, Marek, and Przemyslaw Majewski, Remex growth and body mass of Mallards during wing molt, 255–259
Parasitism (see Nest parasitism)
Parker, Howard, and Halvor Holm, Patterns of nutrient and energy expenditure in female Common Eiders nesting in the High Arctic, 660–668
Parula americana, 539–543
Parula, Northern, 539–543
Parus bicolor, 184–187
P. caeruleus, 429–431
P. gambeli, 522–530, 531, 532
P. inornatus, 522–530, 531, 532
P. major, 429–431, 623–625
Passer domesticus, 45–57, 533–538
P. montanus, 45–57
Passerculus sandwichensis, 775–778
Passerella iliaca, 421–424
Pelecanus erythrorhynchos, 431–433
Pelican, American White, 431–433
Pennsylvania, 96–106, 490–497, 580–585
Pennycuick, C. J., Bird flight performance: a practical calculation manual (rev.), 642–644
Peru, 239–245, 473–483
Pesticides (see Pollutants)
Peterjohn, Bruce G., The birds of Ohio (rev.), 461–462
Petit, Daniel R., see Petit, Lisa J., et al.
Petit, Kenneth E., see Petit, Lisa J., et al.
Petit, Lisa J., Daniel R. Petit, Kenneth E. Petit, and W. James Fleming, Intersexual and temporal variation in foraging ecology of Prothonotary Warblers during the breeding season, 133–145; Daniel R. Petit, Kenneth E. Petit, and W. James Fleming, Annual variation in foraging ecology of Prothonotary Warblers during the breeding season, 146–152
Petrel, Dark-rumped, 317–325
Phaenicophilus palmarum, 707–716
P. poliocephalus, 707–716
Phalacrocoracidae, 110–116
Phalacrocorax aristotelis, 410–412
P. carbo, 110–116, 400–402
P. pelagicus, 3, 5, 6, 7, 387–395
P. penicillatus, 3
Phalarope, Red, 678–687; Red-necked, 718–727
Phalaropus fulicaria, 678–687
P. lobatus, 718–727
Phoeniculus purpureus, 765–770
Phylloscopus borealis, 434–437
Phylogeny (see Taxonomy)
Physiology, energy cost of activities, 587–593, 663, 664, 667; flight, 649–658; hematocrit, 533–538; hormones, 60–67, 718–727; incubation, 320, 324, 718–727; metabolism, 562–563, 587–593; migration, 649–658; nutrient reserves, 75–84, 660–667; osmoregulation, 533–538; temperature regulation, 561–566, 587–593; thermal tolerance, 561–566
Physiology of *Aythya valisineria*, 75–84; *Calidris pusilla*, 718–727; *Passer domesticus*, 533–538; *Junco hyemalis*, 561–566; *Phalaropus lobatus*, 718–727; *Podiceps nigricollis*, 649–658; *Pterodroma phaeopygia*, 320, 321, 323, 324–325; *Somateria mollissima*, 660–667; *Xanthocephalus xanthocephalus*, 60–67
Piatt, John F., Calvin J. Lensink, William Butler, Marshal Kendziorek, and David R. Nysewander, Immediate impact of the 'Exxon Valdez' oil spill on marine birds, 387–397; Bay D. Roberts, Wayne W. Lidster, John L. Wells, and Scott A. Hatch, Effects of human disturbance on breeding Least and Crested auklets at St. Lawrence Island, Alaska, 342–350
Picoides borealis, 608–609
Pierotti, Raymond, see Brown, James H., and ———
Pintail, White-cheeked, 188–190

Pitocchelli, Jay, Plumage, morphometric, and song variation in Mourning (*Oporornis philadelphia*) and MacGillivray's (*O. tolmiei*) warblers, 161–171
Platalea leucorodia, 416–420
Plover, Black-winged, 10–16; Crowned, 10–16; Lesser Black-winged, 10–16
Plumages (see Molts and ———)
Podiceps nigricollis, 649–658
Podolsky, Richard H., Effectiveness of social stimuli in attracting Laysan Albatross to new potential nesting sites, 199–125
Poephila guttata, 193–196
Poland, 255–259
Pollutants, 96–106, 387–395
Polygamy (see Mating systems)
Poole, Alan F., Ospreys: a natural and unnatural history (rev.), 808–809
Population size estimates, 208–209
Power, Dennis M. (Ed.), Current ornithology, volume 6 (rev.), 456–457
Power, Harry W., see Stouffer, Philip C., and ———
Prater, Tony, see Hayman, Peter, et al.
Predation by *Arenaria interpres*, 696, 700, 704; *Corvus caurinus*, 1, 6; *C. ossifragus*, 518; *Falco peregrinus*, 1–8; *Haliaeetus leucocephalus*, 390; *Otus kennicottii*, 3
Predation on *Aethia cristatella*, 342, 345, 348–349; *A. pusilla*, 342, 345, 348–349; *Anas crecca*, 3; *Brachyramphus marmoratus*, 3; *Carpodacus erythrinus*, 39, 43; *Cepphus columba*, 3; *Cerorhinca monocerata*, 1, 2, 3–4, 6; *Corvus caurinus*, 1, 2, 3, 5–6, 7, 8; *Haematopus bachmani*, 1, 3, 5–6, 7; *Larus glaucescens*, 3; *L. heermanni*, 3; *Melospiza melodia*, 775–778; *Numenius tahitiensis*, 780; *Oceanodroma furcata*, 1, 2–3, 6, 7; *O. leucorhoa*, 1, 3, 6, 7; *Pandion haliaetus*, 506, 513, 518; *Passerculus sandwichensis*, 775–778; *Phalacrocorax pelagicus*, 3, 5, 6, 7; *P. penicillatus*, 3; *Ptychoramphus aleuticus*, 1, 2, 3, 4–5, 6, 7; *Pyrenestes ostrinus*, 157; *Rissa tridactyla*, 3, 7; *Somateria mollissima*, 666; *Sterna hirundo*, 696, 700–701, 704; *Uria aalge*, 1, 3, 5
Pribil, Stanislav, review by, 818
Price, Trevor, see Van Patten, Kristen C., and ———
Progne subis, 275–282
Protonotaria citrea, 133–143, 146–149, 151–152, 539–543
Prunella collaris, 284–294
Pterodroma phaeopygia, 317–325
Ptychoramphus aleuticus, 1, 2, 3, 4–5, 6, 7, 689–694
Puffin, Horned, 387–395; Tufted, 7, 387–395
Puffinus griseus, 387–395
P. tenuirostris, 387–395
Pygiptila stellaris, 475–476, 477–478, 481, 487, 489
Pyrenestes ostrinus, 153–158

Quebec, 161–170, 376–382
Quinn, James S., Sexual size dimorphism and parental care patterns in a monomorphic and dimorphic larid, 260–274
Quinn, Thomas W., Fred Cooke, and Bradley N. White, Molecular sexing of geese using a cloned Z chromosomal sequence with homology to the W chromosome, 199–202
Quiscalus major, 327–331, 332

Raikow, Robert J., Hindlimb myology and evolution of the Old World suboscine passerine birds (Acanthisittidae, Pittidae, Philepittidae, Eurylaimidae) (rev.), 222–223
Randík, Aladár, see Šťastný, Karel, et al.
Redmond, Roland L., see Marks, Jeffrey S., et al.
Redstart, American, 539–543
Rhipidura rufifrons, 502
Ridgely, Robert S., and J. A. Gwynne, A guide to the birds of Panama (rev.), 648; and Guy Tudor, The birds of South America: I. The oscine passerines (rev.), 459
Rissa tridactyla, 3, 7, 387–395, 678–687
Ritchison, Gary, see Belthoff, James R., and ———
Robel, Robert J., Michael E. Barnes, Kenneth E. Kemp, and John L. Zimmerman, Influences of time postmortem, feeding activity, and diet on digestive organ morphology of two emberizids, 669–677
Roberts, Bay D., see Piatt, John F., et al.
Robinson, Scott K., review by, 644–647
Rockwell, R. F., see Cooke, Fred, et al.
Rodgers, James A., Jr., see Stangel, Peter W., et al.
Rosenberg, Kenneth V., see Hackett, Shannon J., and ———
Rostrhamus sociabilis, 327–332
Rosefinch, Common, 35–43
Rynchops niger, 260–272

Safina, Carl, Foraging habitat partitioning in Roseate and Common terns, 351–358
Sallaberry, A. M., see Myers, J. P., et al.
Sanderling, 172–179
Sandpiper, Semipalmated, 718–727
Saskatchewan, 25–33
Schick, C. T., see Myers, J. P., et al.
Scolopax minor, 407–409, 745–748
Scotland, 603–605
Screech-Owl, Eastern, 567–578; Western, 3
Sealy, Spencer, G., see Briskie, James V., and ———
Seedcracker, Black-bellied, 153–158
Seiurus aurocapillus, 425–427, 784–787
S. noveboracensis, 425–427, 784–787
Senner, Stanley E., see Bednarz, James C., et al.
Sepik, Greg F., see McAuley, Daniel G., et al.
Serie, Jerome R., see Barzen, Jeb A., and ———
Setophaga ruticilla, 539–543, 784–787
Sex, determination of, 199–201, 262, 263–264
Sex ratio of *Anas penelope*, 197; *Aquila chrysaetos*, 438–439; *Falco columbarius*, 28; *Pheniculus purpureus*, 765–770
Shaffer, Terry L., see Johnson, Douglas H., and ———

Shag, 410–412; Antarctic, 110–116; Cape, 110–116; Imperial, 110–116; Kerguelen, 110–116; Pelagic, 110–116; Red-legged, 110–116; Rock, 110–116; Socotra, 110–116; South Georgian, 110–116
Sharpe, Fred A., see Lewis, Mark G., and ———
Shearwater, Short-tailed, 387–396; Sooty, 387–395
Shields, Gerald F., Analysis of mitochondrial DNA of Pacific Black Brent (*Branta bernicla nigricans*), 620–623
Sialia mexicana, 606–607
Siegel-Causey, Douglas, Phylogenetic patterns of size and shape of the nasal gland depression in Phalacrocoracidae, 110–118
Silva, Tony, A monograph of endangered parrots (rev.), 795–797
Sitta europaea, 86–93
Skimmer, Black, 260–272
Skutch, Alexander F., Life of the tanager (rev.), 228–229
Smith, Dwight G., see Ellis, David H., and ———
Smith, Michael H., see McDonald, Mara A., and ———
Smith, Norman S., see Kerpez, Theodore A., and ———
Smith, Thomas Bates, Comparative breeding biology of the two bill morphs of the Black-bellied Seedcracker, 153–160
Snow, Barbara, and David Snow, Birds and berries: a study of an ecological interaction (rev.), 227–228
Snow, David, see Snow, Barbara, and ———
Snyder, Noel F. R., reviews by, 795–797, 803–806; James W. Wiley, and Cameron B. Kepler, The parrots of Luquillo: natural history and conservation of the Puerto Rican Parrot (rev.), 216–218
Somateria mollissima, 208–209, 660–667
Song (see Vocalizations)
Sonograms of *Aphelocoma coerulescens*, 203; *Oporornis philadelphia*, 165; *O. tolmiei*, 165; *Pachyptila belcheri*, 312; *P. desolata*, 312; *P. salvini*, 312, *P. turtur*, 312
South Africa, 10–16
South Carolina, 463–471, 756–762
Sorenson, Lisa Guminski, see McKinney, Frank, et al.
Spain, 45–57, 197–198, 416–420
Sparrow, American Tree, 210–211, 211–212; Bachman's, 463–471; Eurasian Tree, 45–57; Field, 580–585; Fox, 421–424; Harris', 69–73, 669–676; House, 45–57, 533–538; Savannah, 775–778; Song, 775–778
Specimen preparation, 788–789
Spectograms, see Sonograms
Spizella arborea, 210–211, 211–212
S. pusilla, 580–585
Spoonbill, White, 416–420
Stangel, Peter W., James A. Rodgers Jr., and A. Lawrence Bryan, Genetic variation and population structure of the Florida Wood Stork, 614–619
Starling, European, 359–365, 367–374
Šťastný, Karel, Aladár Randík, and Karel Hudec, Atlas hnízdního rozšíření ptáků v ČSSR 1973/77. [The atlas of breeding birds in Czechoslovakia.] (rev.), 818
Statistical and analytical methods, 69–73, 296–299, 302–303, 400–402, 438–439, 447–450, 451–452, 587–593, 595–600, 784–787
Stefani, Rosemary A., see Webber, Tom, and ———
Sterna caspia, 260–272
S. dougallii, 351–357
S. hirundo, 351–357, 696–704
Stictocarbo gaimardi, 110–116
S. magellanicus, 110–116
S. pelagicus, 110–116
Stokland, Jogeir N., see Amundsen, Trond, and ———
Stork, Wood, 614–618
Storm-Petrel, Fork-tailed, 1, 2–3, 6, 7, 387–395; Leach's, 1, 3, 6, 7
Stouffer, Philip C., and Harry W. Power, Density effects on asynchronous hatching and brood reduction in European Starlings, 359–366
Strahl, Stuart D., see VanderWerf, Eric A., and ———
Strix occidentalis, 737–742
Sturnus vulgaris, 359–365, 367–374
Sušić, G., see Meštrov, M. M., and ———
Swallow, Violet-green, 606–607
Swanson, David L., Seasonal variation in cold hardiness and peak rates of cold-induced thermogenesis in the Dark-eyed Junco (*Junco hyemalis*), 561–566
Swanson, Gustav A., In memoriam: Sir Peter Markham Scott, 602
Sweden, 35–43, 730–734
Systematics (see Taxonomy)

Tabilo, E., see Myers, J. P., et al.
Tachycineta thallasina, 606–607
Taxonomy of ***Lophornis brachylopha***, 191–192; *L. delattrei*, 191–192; *Myrmotherula* spp., 479–483; *Oporornis philadelphia*, 161, 170; *O. tolmiei*, 161, 170; *Pachyptila belcheri*, 305, 312–314; *P. desolata*, 305, 312–314; *P. macgillivrayi*, 313–314; *P. salvini*, 305, 312–314; *P. turtur*, 305, 312–314; *P. vittata*, 312–314; *Strix occidentalis*, 742
Teal, Chilean, 188–190; Green-winged, 3, 188–190
Tegelström, Håkan, Hans P. Gelter, and Maarit Jaarola, Variation in Pied Flycatcher (*Ficedula hypoleuca*) mitochondrial DNA, 730–736; see Gelter, Hans P., and ———
Tennessee, 133–143, 146–149, 151–152
Terborgh, J., Where have all the birds gone? (rev.), 640–642
Terenura humeralis, 475–476, 477–478, 481, 487, 489
Tern, Caspian, 260–272; Common, 351–357, 696–704; Roseate, 351–357
Territory of ***Cercomacra manu***, 244; *Sitta europaea*, 86–93
Texas, 184–187, 260–272
Thamnophilus doliatus, 475–476, 477–478, 481, 487, 489

Thelander, Carl G., see Cade, Tom J., et al.
Tit, Great, 623–625
Titmouse, Plain, 522–530, 531, 532; Tufted, 183–187
Tome, Michael W., Commentary: Comparisons of patch-use models for wintering American Tree Sparrows, 210–211
Tomiałojć, Ludwik, and Jared Verner, Commentary: Do point counting and spot mapping produce equivalent estimates of bird densities? 447–450
Toops, Connie, and William E. Dilley, Birds of south Florida. An interpretive guide (rev.), 818–819
Trapp, John L., see Lohrer, Fred E., et al.
Troglodytes aedon, 781–784
Tucker, Vance A., review by, 642–644
Tudor, Guy, see Ridgely, Robert S., and ———
Turnstone, Ruddy, 696, 700, 704
Tyto alba, 246–253

Uria aalge, 1, 3, 5, 387–395, 603–605
U. lomvia, 387–395, 678–687
Urrutia, Lena P., and Hugh Diamond, Brood reduction and parental infanticide in Heermann's Gull, 772–774
Utah, 246–253

Van Patten, Kristen C., and Trevor Price, Habitat choice in captive Arctic Warblers, 434–437
Vander Haegen, W. Matthew, see Diefenbach, Duane R., et al.
VanderWerf, Eric A., and Stuart D. Strahl, Effects of unit size and territory defense on communal nest care in the Hoatzin (*Opisthocomus hoazin*), 626–628
Vanellus coronatus, 10–16
V. lugubris, 10–16
V. melanopterus, 10–16
Veiga, José, A comparative study of reproductive adaptations in House and Tree sparrows, 45–49
Venezuela, 327–332, 473–483, 626–627
Vermivora celata, 784–787
V. chrysoptera, 784–787
V. peregrina, 784–787
V. ruficapilla, 784–787
Vermont, 376–382
Verner, Jared, see Tomiałojć, Ludwik, and ———
Vocalizations of *Aphelocoma coerulescens*, 202–203; ***Cercomacra manu***, 243; *Oporornis philadelphia*, 164–165, 166–168, 169–170; *O. tolmiei*, 164–165, 166–168, 169–170; *Pachyptila belcheri*, 310, 312, 313; *P. desolata*, 310–312, 313; *P. salvini*, 310, 312, 313; *P. turtur*, 310, 312, 313; *Parus major*, 623–625; *Vanellus melanopterus*, 13; *V. lugubris*, 14
Vocus, Karel H., Owls of the Northern Hemisphere (rev.), 233
Vuilleumier, François, In memoriam: William H. Phelps Jr., 181–183; review by, 809–812

Wada, Eitaro, see Mizutani, Hiroshi, et al.
Wanless, S., see Harris, M. P., and ———
Walters, Jeffrey R., see Hagan, John M., III, and ———
Warbler, Arctic, 434–437; Black-and-white, 539–543; Black-throated Green, 539–543; Hooded, 539–543; MacGillivray's, 161–170; Magnolia, 539–543; Mourning, 161–170; Prothonotary, 133–143, 146–149, 151–152, 539–543; Yellow, 539–543
Ward, David, Incubation temperatures and behavior of Crowned, Black-winged, and Lesser Black-winged plovers, 10–17
Warkentin, Ian G., Paul C. James, and Lynn W. Oliphant, Body morphometrics, age structure, and partial migration of urban Merlins, 25–34
Washington, 1–8, 60–67, 69–73, 161–170, 205–206, 206–208
Watts, Bryan D., Cover use and predator-related mortality in Song and Savannah sparrows, 775–778; see Dunning, John B., Jr., and ———
Weary, Daniel M., Ken J. Norris, and J. Bruce Falls, Song features birds use to identify individuals, 623–625
Weather, influence on (see Environment, influence on)
Webber, Tom, and Rosemary A. Stefani, Evidence for vocal learning by a Scrub Jay, 202–204
Weights (see Mass and measurements)
Wiedenfeld, David A., see Lohrer, Fred E., et al.
Weller, Milton W. (Ed.), Waterfowl in winter (rev.), 806–808
Wells, John L., see Piatt, John F., et al.
Wentz, Lauren E., review by, 457–458
Whelan, Christopher J., review by, 227–228
White, Bradley N., see Quinn, Thomas W., et al.
White, Clayton M., review by, 220–221; see Cade, Tom J., et al.
White-eye, Bridled, 500–505; Golden, 500–505
Wiens, John A., The ecology of bird communities. Vol. 1, Foundations and patterns; Vol. 2, Processes and variations (rev.), 644–647
Wigeon, American, 188–190; Eurasian, 197–198
Wiley, James W., see Snyder, Noel F. R., et al.
Willard, David E., see Fitzpatrick, John W., and ———
Williams, Lovett E., Jr., and David H. Austin, Studies of the wild turkey in Florida (rev.), 221–222
Williams, Timothy C., and Mao Ying, A comparison of radar observations of bird migration at Haizhou Bay, China, and Guam, Marianas, 404–406
Wilsonia canadensis, 784–787
W. citrina, 425–427, 539–543, 784–787
W. pusilla, 784–787
Wingfield, John C., see Beletsky, Les D., et al.
With, Kimberly A., and Michael L. Morrison, Flock formation of two parids in relation to cyclical seed production in a pinyon-juniper woodland, 522–532
Woodcock, American, 407–409, 745–748
Woodhoopoe, Green, 765–770
Woodpecker, Gila, 367–374; Red-cockaded, 608–609

Wootton, J. T., see Paine, R. T., et al.
Wren, House, 781–784
Wyoming, 161–179, 781–784

Xanthocephalus xanthocephalus, 60–67, 205–206, 206–208

Yellowthroat, Common, 539–543

Zahedi, Afshan, see Goldstein, David L., and ———
Zaias, Julia, and Randall Breitwisch, Molt-breeding overlap in Northern Mockingbirds, 414–416
Zenaida macroura, 18–23
Zimmerman, John L., see Robel, Robert J., et al.
Zink, Robert M., see Burns, Kevin J., and ———
Zonotrichia querula, 69–73, 669–676
Zosterops conspicillatus, 500–505
Zotier, R., see Bretagnolle, V., et al.

DATE OF ISSUE (Vol. 107, No. 4): 31 October 1990